

Functional Configration

## -ig.2 Model Music Data Structure

>
<u>a</u>
isp
Ω
fo
ata
Ω
sical
₹

Reference Data for Practicing Performance

Performance Data for Playing Back Tones

<u></u>	Music Score Display Data (Staves, Measures, Notes,
	Rests)
	Other Display Data (Words, Chords, etc.)
/	Performance Data Coinciding with Music Score Display
	( of Practice Part )
	Performance Data Prepared for Playing Back Tones
	( of Practice Part )
	Performance Data Prepared for Playing Back Tones
	( of Non-Practice Part )

## Fig.3a Performance Data List (with Practice Mode Off)

No.	Performance Data
1	Performance Data Prepared for Playing Back Tones of Practice Part #1
2	Performance Data Prepared for Playing Back Tones of Practice Part #2
3	Performance Data Prepared for Playing Back Tones of Part #a Other than Practice Parts
4	Performance Data Prepared for Playing Back Tones of Part #b Other than Practice Parts
5	Performance Data Prepared for Playing Back Tones of Part #c Other than Practice Parts
•••	••••••

## Fig.3b Performance Data List (with Practice Mode On)

No.	Performance Data
1	Performance Data Coinciding with Music Score Display of
ŀ	Practice Part #1
2	Performance Data Coinciding with Music Score Display of
Ì	Practice Part #2
3	Performance Data Prepared for Playing Back Tones of Part #a
	Other than Practice Parts
4	Performance Data Prepared for Playing Back Tones of Part #b
	Other than Practice Parts
5	Performance Data Prepared for Playing Back Tones of Part #c
	Other than Practice Parts
	********





Fig. 4 Hardware Configuration

Fig. 5a Processing Flow (Part 1)



## Fig. 5b Processing Flow (Part 2)




Fig.6 Relation between Note and
Performance Data
(in example Where Performance
Data Prepared for Playing Back Tone
Comes a Bit Earlier than Timing of
Note as Displayed)

